



DOIN ELECTRIC



DEXIN ELECTRIC TECHNOLOGY

www.doinele.com



NYLON CABLE GLAND (M Type)

■ Thread spec.: Metric



■ Material: Parts A, C, E are made of UL approved nylon PA66, parts B and D are made of Nitrile butadiene rubber (NBR).


■ Working temperature: -40°C to 100°C in static state, instantaneous heat resistance up to 120°C ; -20°C to 80°C in dynamic state, instantaneous heat resistance up to 100°C .

■ Characteristics: Special design of clamping die and rubber part, large range in clamping cable, ultra-strong stretching resistance, waterproof, dustproof, and high ability to resist salt, acid, alkali, alcohol, grease and general solvent.

Color selected:




Model	Thread Size	Cable Range (mm)	L2(mm)	L1(mm)	Spanner Size (mm) 	Structural Drawing
M8	M8×1.25	2.5~4.5	8	8	13/12	 Sealing Nut
M8	M8×1.25	1~2.5	8	8	13/12	
M10	M10×1.5	3~6	10	8	15/13	
M10	M10×1.5	1.5~3	10	8	15/13	
M12	M12×1.5	3~6.5	12	9	18/16	
M12	M12×1.5	2~5	12	9	18/16	
M16	M16×1.5	4~8	16	9	22/19	
M16	M16×1.5	2~6	16	9	22/19	
M18	M18×1.5	5~10	18	9	24/22	
M18	M18×1.5	3~7	18	9	24/22	
M20	M20×1.5	6~12	20	10	27/24	
M20	M20×1.5	5~9	20	10	27/24	
M22	M22×1.5	10~13	22	10	30/27	
M22	M22×1.5	7~12	22	10	30/27	
M24	M24×1.5	12~15	24	10	30/28	
M24	M24×1.5	10~12	24	10	30/28	
M25	M25×1.5	12~15	25	11	31/28	
M25	M25×1.5	10~12	25	11	31/28	
M27	M27×1.5	13~18	27	12	35/33	
M27	M27×1.5	9~16	27	12	35/33	
M28	M28×1.5	13~18	28	12	35/33	
M28	M28×1.5	9~16	28	12	35/33	
M30	M30×1.5	16~21	30	12	37/35	
M30	M30×1.5	13~18	30	12	37/35	
M32	M32×1.5	16~21	32	12	38/35	
M32	M32×1.5	13~18	32	12	38/35	
M36	M36×1.5	18~25	36	12	45/42	
M36	M36×1.5	13~20	36	12	45/42	
M40	M40×1.5	22~32	40	15	52/52	
M40	M40×1.5	20~26	40	15	52/52	
M46	M46×1.5	22~32	46	15	58/52	
M46	M46×1.5	20~26	46	15	58/52	
M50	M50×1.5	32~38	50	18	62/58	
M50	M50×1.5	25~31	50	18	62/58	
M58	M58×1.5	37~44	58	18	70/64	
M58	M58×1.5	29~35	58	18	70/64	
M63	M63×1.5	37~44	63	18	72/64	
M63	M63×1.5	29~35	63	18	72/64	
M71	M71×1.5	42~50	71	30	83/77	
M71	M71×1.5	32~40	71	30	83/77	



Sealing Nut



Seal (Nitrile)





Body



Washer



Lock Nut



WENZHOU DEXIN ELECTRICTECHNOLOGY CO., LTD

www.doinele.com

Add: No.1888 Feihong S.Road, 325608 Wenzhou City, Zhejiang Provice R.P.C.