



# DOIN ELECTRIC



DEXIN ELECTRIC TECHNOLOGY

[www.doinele.com](http://www.doinele.com)





# Twist-on Connectors



Case diagram	Item No.	Dimensions (inch./mm)					Wire Range A.W.G	Color
		A	B	C	D	E		
 <p>Max Temp 105°C</p>	SP-1	5/32 in.,	1/4 in.,	21/64 in.,	11/64 in.,	37/64 in.,	300V #22 to #16 AWG Min. 2 #22 Max. 2 #16	 <b>Grey</b>
		4 mm	6.5 mm	8 mm	4.5 mm	15 mm		
	SP-2	11/64 in.,	9/32 in.,	25/64 in.,	11/64 in.,	45/64 in.,	300V #22 to #14 AWG Min. 2 #22 Max. 3 #16	 <b>Blue</b>
		4.5 mm	7 mm	10 mm	4.5 mm	18 mm		
	SP-3	11/64 in.,	11/32 in.,	7/16 in.,	5/16 in.,	55/64 in.,	600V* #22 to #14 AWG Min. 1 #18 w/ 1 #20 Max. 4 #16 w/ 1 #20	 <b>Orange</b>
		4.5 mm	9 mm	11 mm	8 mm	22 mm		
	SP-5	1/4 in.,	7/16 in.,	35/64 in.,	5/16 in.,	61/64 in.,	600V* #18 to #12 AWG Min. 2 #18 Max. 4 #14 w/ 1 #18	 <b>Yellow</b>
		6.5 mm	11 mm	14 mm	8 mm	24 mm		
	SP-6	17/64 in.,	17/32 in.,	21/32 in.,	17/64 in.,	1-1/16 in.,	600V* #18 to #10 AWG Min. 2 #14 Max. 2 #10 w/ 2 #12	 <b>Red</b>
		7 mm	14 mm	17 mm	7 mm	27 mm		

\* 1,000V maximum in fixtures and signs



WENZHOU DEXIN ELECTRIC TECHNOLOGY CO., LTD

---

[www.doinele.com](http://www.doinele.com)

Add: No.1888 Feihong S.Road, 325608 Wenzhou City, Zhejiang Provice R.P.C.