



# DOIN ELECTRIC



DEXIN ELECTRIC TECHNOLOGY

[www.doinele.com](http://www.doinele.com)



# NYLON CABLE GLAND (PG TYPE)

■ Thread spec.: PG







■ Material: Parts A, C, E are made of UL approved nylon PA66, parts B and D are made of Nitrile butadiene rubber (NBR).



■ Working temperature: -40 to 100°C in static state, instantaneous heat resistance up to 120°C ; -20°C to 80°C in dynamic state, instantaneous heat resistance up to 100°C .

■ Characteristics: Special design of clamping die and rubber part, large range in clamping cable diameter, strong sealing resistance, waterproof, dustproof, and high ability to resist salt, acid, alkali, alcohol, grease and general solvents.

Color selected:



Model	Thread Size	Cable Range (mm)	L2(mm)	L1(mm)	Spanner Size (mm) 	Structural Drawing
PG7	<b>PG7</b>	3~6.5	12.5	9.0	18/16	 Sealing Nut
PG7	<b>PG</b>	2~5	12.5	9.0	18/16	
PG9	<b>PG9</b>	4~8	15.2	9.0	22/19	 Seal (Nitrile)
PG9	<b>PG9</b>	2~6	15.2	9.0	22/19	
PG11	<b>PG11</b>	5~10	18.6	9.0	24/22	 Body
PG11	<b>PG11</b>	3~7	18.6	9.0	24/22	
PG13.5	<b>PG13.5</b>	6~11	20.4	10.0	27/24	 Washer
PG13.5	<b>PG13.5</b>	5~9	20.4	10.0	27/24	
PG16	<b>PG16</b>	10~13	22.5	10.0	30/27	 Lock Nut
PG16	<b>PG16</b>	7~12	22.5	10.0	30/27	
PG19	<b>PG19</b>	12~15	24.0	10.0	30/28	
PG19	<b>PG19</b>	10~12	24.0	10.0	30/28	
PG21	<b>PG21</b>	13~18	28.3	12.0	35/33	
PG21	<b>PG21</b>	9~16	28.3	12.0	35/33	
PG25	<b>PG25</b>	16~21	30.0	12.0	37/35	
PG25	<b>PG25</b>	13~18	30.0	12.0	37/35	
PG29	<b>PG29</b>	18~25	37.0	12.0	45/42	
PG29	<b>PG29</b>	13~20	37.0	12.0	45/42	
PG36	<b>PG36</b>	22~32	47.0	15.0	58/52	
PG36	<b>PG36</b>	20~26	47.0	15.0	58/52	
PG42	<b>PG42</b>	32~38	54.0	18.0	62/58	
PG42	<b>PG42</b>	25~31	54.0	18.0	62/58	
PG48	<b>PG48</b>	37~44	59.3	18.0	70/64	
PG48	<b>PG48</b>	29~35	59.3	18.0	70/64	
PG63	<b>PG63</b>	42~50	71.0	30.0	83/77	
PG63	<b>PG63</b>	32~40	71.0	30.0	83/77	



WENZHOU DEXIN ELECTRICTECHNOLOGY CO., LTD

---

[www.doinele.com](http://www.doinele.com)

Add: No.1888 Feihong S.Road, 325608 Wenzhou City, Zhejiang Provice R.P.C.